Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
J. Davies
W. F. Dove
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
J. C. Wang
K. Weber
S. M. Weissman

VOLUME 117
25 November to 25 December 1977

ACADEMIC PRESS
London New York San Francisco

Copyright © 1978, by Academic Press Inc. (London) Ltd

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 117

Number 1, 25 November 1977

Johnson, K. A. and Borisy, G. G., Kinetic Analysis of Microtubule Self-assembly *in vitro* 1

Murphy, D. B., Johnson, K. A. and Borisy, G. G., Role of Tubulin-associated Proteins in Microtubule Nucleation and Elongation 33

Lutter, L. C., Deoxyribonuclease I Produces Staggered Cuts in the DNA of Chromatin 53

Callister, H. and Wake, R. G., Completion of the Replication and Division Cycle in Temperature-sensitive DNA Initiation Mutants of *Bacillus subtilis* 168 at the Non-permissive Temperature 71

Loehr, J. and Hanawalt, P., On the Termination of the DNA Replication Cycle in *Escherichia coli* 85

Caillet-Fauquet, P., Defais, M. and Radman, M., Molecular Mechanisms of Induced Mutagenesis. Replication *in vivo* of Bacteriophage ϕX174 Single-stranded, Ultraviolet Light-irradiated DNA in Intact and Irradiated Host Cells 95

Appendix: Cornelis, J. J., Yield of Ultraviolet Light-induced Pyrimidine Dimers in the DNA of Bacteriophage ϕX174 111

Sheehan, J. K., Gardner, K. H. and Atkins, E. D. T., Hyaluronic Acid: a Double-helical Structure in the Presence of Potassium at Low pH and Found also with the Cations Ammonium, Rubidium and Caesium . . 113

Ross, P. and Howard-Flanders, P., Initiation of *rec*A$^+$-dependent Recombination in *Escherichia coli*(λ). I. Undamaged Covalent Circular Lambda DNA Molecules in *uvr*A$^+$ *rec*A$^+$ Lysogenic Host Cells are cut following Superinfection with Psoralen-damaged Lambda Phages 137

Ross, P. and Howard-Flanders, P., Initiation of *rec*A$^+$-dependent Recombination in *Escherichia coli*(λ). II. Specificity in the Induction of Recombination and Strand Cutting in Undamaged Covalent Circular Bacteriophage 186 and Lambda DNA Molecules in Phage-infected Cells . . 159

Childs, G. J., Ohtsubo, H., Ohtsubo, E., Sonnenberg, F. and Freundlich, M., Restriction Endonuclease Mapping of the *Escherichia coli* K12 Chromosome in the Vicinity of the *ilv* Genes 175

Smith, W. W., Burnett, R. M., Darling, G. D. and Ludwig, M. L., Structure of the Semiquinone Form of Flavodoxin from *Clostridium* MP. Extension to 1·8 Å Resolution and Some Comparisons with the Oxidized State. . . 195

Bertrand, K., Korn, L. J., Lee, F. and Yanofsky, C., The Attenuator of the Tryptophan Operon of *Escherichia coli*. Heterogeneous 3′-OH Termini *in vivo* and Deletion Mapping of Functions 227

Fraser, J. M. K. and Huberman, J. A., *In vitro* HeLa Cell DNA Synthesis Similarity to *in Vivo* Replication 249

Letters to the Editor

Cummings, D. J., Evidence for Semi-conservative Replication of Mitochondrial DNA from *Paramecium aurelia* 273

McKenzie, S. L. and Meselson, M., Translation *in vitro* of *Drosophila* Heat-shock Messages 279

Sakurai, I., Iwayanagi, S., Sakurai, T. and Seto, T., X-ray Study on Egg-yolk Lecithin: Unit Cell Data and Electron Density Profile . 285

Number 2, 5 December 1977

Tye, B-K. and Lehman, I. R., Excision Repair of Uracil Incorporated in DNA as a Result of a Defect in dUTPase 293

Langberg, S., Kahan, L., Traut, R. R. and Hershey, J. W. B., Binding of Protein Synthesis Initiation Factor IF1 to 30 S Ribosomal Subunits: Effects of Other Initiation Factors and Identification of Proteins Near the Binding Site 307

Martin, D. M. and Godson, G. N., G4 DNA Replication. I. Origin of Synthesis of the Viral and Complementary DNA Strands 321

Godson, G. N., G4 DNA Replication. II. Synthesis of Viral Progeny Single-stranded DNA 337

Godson, G. N., G4 DNA Replication. III. Synthesis of Replicative Form . . 353

Downie, J. A., Stewart, J. W. and Sherman, F., Yeast Mutants Defective in Iso-2-cytochrome *c* 369

Cole, M. D., Wiggins, J. W. and Beer, M., Molecular Microscopy of Labeled Polynucleotides: Stability of Osmium Atoms 387

Chang, C. and Craven, G. R., Identification of Several Proteins Involved in the Messenger RNA Binding Site of the 30 S Ribosome by Inactivation with 2-Methoxy-5-Nitrotropone 401

Ikemura, T. and Ozeki, H., Gross Map Location of *Escherichia coli* Transfer RNA Genes 419

GRIFFIN, B. E., Fine Structure of Polyoma Virus DNA 447

LUND, E., FRIED, M. and GRIFFIN, B. E., Polyoma Virus Defective DNAs. I. Physical Maps of a Related Set of Defective Molecules (D76, D91, D92) . 473

LUND, E., GRIFFIN, B. E. and FRIED, M., Polyoma Virus Defective DNAs. II. Physical Map of a Molecule with Rearranged and Reiterated Sequences (D74) 497

LETTERS TO THE EDITOR

WAKABAYASHI, T., KUBOTA, M., YOSHIDA, M. and KAGAWA, Y., Structure of ATPase (Coupling Factor TF_1) from a Thermophilic Bacterium . 515

VAN EERD, J. P., CHAMPE, S. P., YAGER, L., KUBOTA, I. and TSUGITA, A., Primary Structure of Internal Peptide VII of T-even Bacteriophages 521

NUMBER 3, 15 DECEMBER 1977

COULONDRE, C. and MILLER, J. H., Genetic Studies of the *lac* Repressor. III. Additional Correlation of Mutational Sites with Specific Amino Acid Residues 525

Appendix I. LILLIS, M., Sequence Change in the DNA from the *lacI* Gene arising from an Amber Mutation 568

Appendix II. SCHMEISSNER, U., GANEM, D. and MILLER, J. H., Revised Gene–Protein Map for the *lacI* Gene–*lac* Repressor System . . 572

COULONDRE, C. and MILLER, J. H., Genetic Studies of the *lac* Repressor. IV. Mutagenic Specificity in the *lacI* Gene of *Escherichia coli* . . . 577

HEYN, M. P., CHERRY, R. J. and MÜLLER, U., Transient and Linear Dichroism Studies on Bacteriorhodopsin: Determination of the Orientation of the 568 nm All-*trans* Retinal Chromophore 607

GÓMEZ-EICHELMANN, M. C. and LARK, K. G., Endo R *Dpn*I Restriction of *Escherichia coli* DNA Synthesized *in vitro*. Evidence that the Ends of Okazaki Pieces are Determined by Template Deoxynucleotide Sequence . 621

MAIO, J. J., BROWN, F. L. and MUSICH, P. R., Subunit Structure of Chromatin and the Organization of Eukaryotic Highly Repetitive DNA: Recurrent Periodicities and Models for the Evolutionary Origins of Repetitive DNA 637

MUSICH, P. R., MAIO, J. J. and BROWN, F. L., Subunit Structure of Chromatin and the Organization of Eukaryotic Highly Repetitive DNA: Indications of a Phase Relation between Restriction Sites and Chromatin Subunits in African Green Monkey and Calf Nuclei 657

WATERSTON, R. H., FISHPOOL, R. M. and BRENNER, S., Mutants Affecting Paramyosin in *Caenorhabditis elegans* 679

HENIS, Y. I. and LEVITZKI, A., The Role of the Nicotinamide and Adenine Subsites in the Negative Co-operativity of Coenzyme Binding to Glyceraldehyde-3-Phosphate Dehydrogenase 699

Appendix. Correction Procedure for Protein Fluorescence Quenching Measurements 715

STERNBERG, N. and WEISBERG, R., Packaging of Coliphage Lambda DNA I. The Role of the Cohesive End Site and the Gene *A* Protein . . 717

STERNBERG, N. and WEISBERG, R., Packaging of Coliphage Lambda DNA II. The Role of the Gene *D* Protein 733

WINTER, W. T. and ARNOTT, S., Hyaluronic Acid: The Role of Divalent Cations in Conformation and Packing 761

JACQ, B., JOURDAN, R. and JORDAN, B. R., Structure and Processing of Precursor 5 S RNA in *Drosophila melanogaster* 785

LETTERS TO THE EDITOR

YAGI, N. and MATSUBARA, I., The Equatorial X-ray Diffraction Patterns of Crustacean Striated Muscles 797

COFFIN, J. M. and HASELTINE, W. A., Nucleotide Sequence of Rous Sarcoma Virus RNA at the Initiation Site of DNA Synthesis. The 102nd Nucleotide is U 805

WEBER, P. and SALEMME, F. R., Preliminary Crystallographic Data for Cytochromes *c* of *Rhodopseudomonas capsulata* and *Rhodospirillum molischianum* 815

VON HEIJNE, G. and BLOMBERG, C., The β Structure: Inter-strand Correlations 821

NUMBER 4, 25 DECEMBER 1977

GEIDUSCHEK, E. P., ARMELIN, M. C. S., PETRUSEK, R., BEARD, C., DUFFY, J. J. and JOHNSON, G. G., Effects of the Transcription Inhibitory Protein, TF1, on Phage SP01 Promoter Complex Formation and Stability . . . 825

MIWA, J. and SADLER, J. R., Characterization of i^{-d} Repressor Mutations of the Lactose Operon 843

LAMY, J., LAMY, J., SIZARET, P. Y., MAILLET, M. and WEILL, J., Ultrastructure of 16 S Substances Obtained by Reassociation using Different Combinations of Three Isolated Subunits of Scorpion Hemocyanin (*Androctonus australis garzonii*) 869

Schaffner, W., Rüegg, K. J. and Weissmann, C., Nanovariant RNAs: Nucleotide Sequence and Interaction with Bacteriophage Qβ Replicase . . 877

Suau, P. and Subirana, J. A., X-ray Diffraction Studies of Nucleoprotamine Structure 909

Burge, R. E., Fowler, A. G. and Reaveley, D. A., Structure of the Peptidoglycan of Bacterial Cell Walls. I 927

Burge, R. E., Adams, R., Balyuzi, H. H. M. and Reaveley, D. A., Structure of the Peptidoglycan of Bacterial Cell Walls. II 955

Nisen, P. D., Kopecko, D. J., Chou, J. and Cohen, S. N., Site-specific DNA Deletions Occurring Adjacent to the Termini of a Transposable Ampicillin Resistance Element (Tn3) 975

Kabsch, W., Gast, W. H., Schulz, G. E. and Leberman, R., Low Resolution Structure of Partially Trypsin-degraded Polypeptide Elongation Factor, EF-Tu, from *Escherichia coli* 999

Morgan, S., Körner, A., Low, K. B. and Söll, D., Regulation of Biosynthesis of Aminoacyl-tRNA Synthetases and of tRNA in *Escherichia coli*. I. Isolation and Characterization of a Mutant with Elevated Levels of $tRNA_1^{Gln}$ 1013

LaRossa, R., Vögeli, G., Low, K. B. and Söll, D., Regulation of Biosynthesis of Aminoacyl-tRNA Synthetases and of tRNA in *Escherichia coli*. II. Isolation of Regulatory Mutants Affecting Leucyl-tRNA Synthetase Levels 1033

LaRossa, R. A., Mao, J.-I., Low, K. B. and Söll, D., Regulation of Biosynthesis of Aminoacyl-tRNA Synthetases and of tRNA in *Escherichia coli*. III. Biochemical Characterization of Regulatory Mutants Affecting Leucyl-tRNA Synthetase Levels 1049

Mazzara, G. P. and McClain, W. H., Cysteine Transfer RNA of *Escherichia coli*: Nucleotide Sequence and Unusual Metabolic Properties of the 3′ C-C-A Terminus 1061

Deutscher, M. P., Lin, J. J.-C. and Evans, J. A., Transfer RNA Metabolism in *Escherichia coli* Cells Deficient in tRNA Nucleotidyltransferase . . 1081

Letters to the Editor

Deutscher, M. P., Foulds, J. and Setlow, P., *rel*A Overcomes the Slow Growth of *cca* Mutants 1095

Musick, W. D. L., Preliminary Crystallographic Studies on Quinolinate Phosphoribosyltransferase 1101

Veatch, W. R. and Stryer, L., Effect of Cholesterol on the Rotational Mobility of Diphenylhexatriene in Liposomes: A Nanosecond Fluorescence Anisotropy Study 1109

Index to Volume 117

Adams, R. E. (see also Burge, R. E.), 955

Adenine and nicotinamide subsites, role in the negative co-operativity of coenzyme binding to glyceraldehyde-3-phosphate dehydrogenase, 699

African green monkey and calf nuclei, indications of a phase relation between restriction sites and chromatin subunits: subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA, 657

Amino acid residues, correlation with mutational sites: genetic studies of the *lac* repressor, 515

Aminoacyl-tRNA synthetases and tRNA in *Escherichia coli*, regulation of their biosynthesis; biochemical characterization of regulatory mutants affecting leucyl-tRNA synthetase levels, 1049

— - — — — — — — —, — — — —; isolation and characterization of a mutant with elevated levels of $tRNA_1^{Gln}$, 1013

— - — — — — — — —, — — — —; — of regulatory mutants affecting leucyl-tRNA synthetase levels, 1033

Ammonium, potassium, rubidium and caesium cations, hyaluronic acid crystallized in their presence shows double-helical structure, 113

Ampicillin resistance element (Tn3), transposable, site-specific DNA deletions occurring adjacent to its termini, 975

Androctonus australis garzonii hemocyanin, ultrastructure of 16 S substances obtained by re-association using different combinations of three isolated subunits, 869

Armelin, M. C. S. (see also Geiduschek, E. P.), 825

Arnott, S. (see also Winter, W. T.), 761

Assembly, self-, of microtubules *in vitro*, kinetic analysis, 1

Atkins, E. D. T. (see also Sheehan, J. K.), 113

ATPase (coupling factor TF_1) from a thermophilic bacterium, structure, 515

Attenuator of the tryptophan operon of *Escherichia coli*; heterogeneous 3′-OH termini *in vivo* and deletion mapping of functions, 227

Bacillus subtilis 168, completion of the replication and division cycle in temperature-sensitive DNA initiation mutants at the non-permissive temperature, 71

Bacterial cell walls, structure of the peptidoglycan, 927, 955

Bacteriophage lambda and 186 DNA molecules, circular, covalent, undamaged, in phage-infected cells, specificity in the induction of recombination and strand cutting; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 159

— —, psoralen-damaged, superinfecting, and the cutting of undamaged covalent circular lambda DNA molecules in *uvr*A$^+$ *rec*A$^+$ lysogenic host cells; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 137

— φX 174, replication *in vivo* of single-stranded, ultraviolet light-irradiated DNA in intact and irradiated host cells; molecular mechanisms of induced mutagenesis, 95

— —, yield of ultraviolet light-induced pyrimidine dimers in the DNA, 111

— Qβ replicase, interaction with nanovariant RNAs, 877

— SP01 promoter complex formation and stability, effects of the transcription inhibitory protein, TF1, 825

Bacteriophages, T-even, primary structure of internal peptide VII, 521

Bacteriorhodopsin, transient and linear dichroism studies: determination of the orientation of the 568 nm all-*trans* retinal chromophore, 607

Bacterium, thermophilic, structure of ATPase (coupling factor TF_1), 515

Balyuzi, H. H. M. (see also Burge, R. E.), 955

Beard, C. (see also Geiduschek, E. P.), 825

Beer, M. (see also Cole, M. D.), 387

Bertrand, K., Korn, L. J., Lee, F. & Yanofsky, C., The attenuator of the tryptophan operon of *Escherichia coli*. Heterogeneous 3′-OH termini *in vivo* and deletion mapping of functions, 227

β structure: inter-strand correlations, 821

Binding of protein synthesis initiation factor IF1 to 30 S ribosomal subunits: effects of other initiation factors and identification of proteins near the binding site, 307

— site, mRNA, of the 30 S ribosome, identification of several involved proteins by inactivation with 2-methoxy-5-nitrotropone, 401

Blomberg, C. (see also von Heijne, G.), 821
Borisy, G. G. (see also Johnson, K. A.), 1
— (see also Murphy, D. B.), 33
Brenner, S. (see also Waterston, R. H.), 679
Brown, F. L. (see also Maio, J. J.), 637
— (see also Musich, P. R.), 657
Burge, R. E., Adams, R., Balyuzi, H. H. M. & Reaveley, D. A., Structure of the peptidoglycan of bacterial cell walls. II, 955
— Fowler, A. G. & Reaveley, D. A., Structure of the peptidoglycan of bacterial cell walls. I, 927
Burnett, R. M. (see also Smith, W. W.), 195

Caenorhabditis elegans, mutants affecting paramyosin, 679
Caesium, potassium, ammonium and rubidium cations, hyaluronic acid crystallized in their presence shows double-helical structure, 113
Caillet-Fauquet, P., Defais, M. & Radman, M., Molecular mechanisms of induced mutagenesis. Replication *in vivo* of bacteriophage ϕX174 single-stranded, ultraviolet light-irradiated DNA in intact and irradiated host cells, 95
Calf and African green monkey nuclei, indications of a phase relation between restriction sites and chromatin subunits; subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA, 657
Callister, H. & Wake, R. G., Completion of the replication and division cycle in temperature-sensitive DNA initiation mutants of *Bacillus subtilis* 168 at the non-permissive temperature, 71
Cations, divalent, their role in conformation and packing; hyaluronic acid, 761
cca mutants, *rel*A overcomes their slow growth, 1095
3′ C-C-A terminus of cysteine tRNA of *Escherichia coli*, nucleotide sequence and unusual metabolic properties, 1061
Cell walls, bacterial, structure of the peptidoglycan, 927, 955
Champe, S. P. (see also van Eerd, J. P.), 521
Chang, C. & Craven, G. R., Identification of several proteins involved in the messenger RNA binding site of the 30 S ribosome by inactivation with 2-methoxy-5-nitrotropone, 401
Cherry, R. J. (see also Heyn, M. P.), 607
Childs, G. J., Ohtsubo, H., Ohtsubo, E., Sonnenberg, F. & Freundlich, M., Restriction endonuclease mapping of the *Escherichia coli* K12 chromosome in the vicinity of the *ilv* genes, 175
Cholesterol, effect on the rotational mobility of diphenylhexatriene in liposomes: a nanosecond fluorescence anisotropy study, 1109
Chou, J. (see also Nisen, P. D.), 975
Chromatin DNA, staggered cuts produced by deoxyribonuclease I, 53
Chromatin subunit structure and the organization of eukaryotic highly repetitive DNA: indications of a phase relation between restriction sites and chromatin subunits in African green monkey and calf nuclei, 657
— — — — — — — — — — —; recurrent periodicities and models for the evolutionary origins of repetitive DNA, 637
Chromophore, retinal, all-*trans*, 568 nm, determination of the orientation; transient and linear dichroism studies on bacteriorhodopsin, 607
Clostridium MP flavodoxin, structure of the semiquinone form: extension of 1·8 Å resolution and some comparisons with the oxidized state, 195
Coffin, J. M. & Haseltine, W. A., Nucleotide sequence of Rous sarcoma virus RNA at the initiation site of DNA synthesis. The 102nd nucleotide is U, 805
Cohen, S. N. (see also Nisen, P. D.), 975
Cole, M. D., Wiggins, J. W. & Beer, M., Molecular microscopy of labeled polynucleotides: stability of osmium atoms, 387
Coliphage lambda DNA packaging: the role of the cohesive end site and the gene *A* protein, 717
— — — —: — — — — gene *D* protein, 733
Conformation and packing and the role of divalent cations; hyaluronic acid, 761
Co-operativity, negative, of coenzyme binding to glyceraldehyde-3-phosphate dehydrogenase, the role of nicotinamide and adenine subsites, 699
Cornelis, J. J., Yield of ultraviolet light-induced pyrimidine dimers in the DNA of bacteriophage ϕX174 (*Appendix* to Caillet-Fauquet, P. *et al.*, 95), 111
Coulondre, C. & Miller, J. H., Genetic studies of the *lac* repressor. III. Additional correlation of mutational sites with specific amino acid residues, 525
— & —, — — — — — — — IV. Mutagenic specificity in the *lacI* gene of *Escherichia coli*, 577
Craven, G. R. (see also Chang, C.), 401

Crustacean striated muscles, equatorial X-ray diffraction patterns, 797
Crystallographic data, preliminary, for cytochromes *c* of *Rhodopseudomonas capsulata* and *Rhodospirillum molischianum*, 815
— studies, preliminary, on quinolinate phosphoribosyltransferase, 1101
Cummings, D. J., Evidence for semi-conservative replication of mitochondrial DNA from *Paramecium aurelia*, 273
Cuts, staggered, produced by deoxyribonuclease I in the DNA of chromatin, 53
Cutting of DNA molecules; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 137, 159
Cysteine tRNA of *Escherichia coli*; nucleotide sequence and unusual metabolic properties of the 3′ C-C-A terminus, 1061
Cytochromes *c* of *Rhodopseudomonas capsulata* and *Rhodospirillum molischianum*, preliminary crystallographic data, 815

D74, 497
D76, D91, D92, 473
Darling, G. D. (see also Smith, W. W.), 195
Defais, M. (see also Caillet-Fauquet, P.), 95
Deletion mapping of functions and heterogeneous 3′-OH termini *in vivo*; the attenuator of the tryptophan operon of *Escherichia coli*, 227
Deletions, DNA, site-specific, occurring adjacent to the termini of a transposable ampicillin resistance element (Tn3), 975
Deoxyribonuclease I produces staggered cuts in the DNA of chromatin, 53
DNA of bacteriophage φX174, yield of ultraviolet light-induced pyrimidine dimers, 111
— — chromatin, staggered cuts produced by deoxyribonuclease I, 53
— deletions, site-specific, occurring adjacent to the termini of a transposable ampicillin resistance element (Tn3), 975
—, G4, replication: origin of synthesis of the viral and complementary DNA strands, 321
—, —, —: synthesis of replicative form, 353
—, —, —: — — viral progeny single-stranded DNA, 337
—, HeLa cell, similarity of *in vitro* synthesis to *in vivo* replication, 249
—, highly repetitive, eukaryotic, organization and the subunit structure of chromatin; indications of a phase relation between restriction sites and chromatin subunits in African green monkey and calf nuclei, 657
—, — —, —, — — — — — — — — ; recurrent periodicities and models for the evolutionary origins of repetitive DNA, 637
— initiation mutants, temperature-sensitive, of *Bacillus subtilis* 168, completion of the replication and division cycle at the non-permissive temperature, 71
— lambda and 186 molecules, circular, covalent, undamaged, in phage-infected cells, specificity in the induction of recombination and strand cutting; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 159
— — molecules, circular, covalent, undamaged, in *uvr*A$^+$ *rec*A$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 137
—, mitochondrial, from *Paramecium aurelia*, evidence for semi-conservative replication, 273
— of *Escherichia coli*, synthesized *in vitro*, and its Endo R *Dpn*I restriction. Evidence that the ends of Okazaki pieces are determined by template deoxynucleotide sequence, 621
— — polyoma virus, fine structure, 447
— packaging, coliphage lambda: the role of the cohesive end site and the gene *A* protein, 717
— —, — —: — — — — — gene *D* protein, 733
— replication cycle, termination in *Escherichia coli*, 85
— sequence change for the *lacI* gene arising from an amber mutation, 568
—, single-stranded, ultraviolet light-irradiated, of bacteriophage φX174, replication *in vivo* in intact and irradiated host cells; molecular mechanisms of induced mutagenesis, 95
— synthesis, nucleotide sequence of Rous sarcoma virus RNA at the initiation site; the 102nd nucleotide is U, 805
— with incorporated uracil as a result of a defect in dUTPase, excision repair, 293
DNAs, defective, of polyoma virus: physical map of a molecule with rearranged and reiterated sequences, 497
—, —, — — —: — — — — — related set of defective molecules (D76, D91, D92), 473
Deutscher, M. P., Foulds, J. & Setlow, P., *rel*A overcomes the slow growth of *cca* mutants, 1095
—, Lin, J. J.-C. & Evans, J. A., Transfer RNA metabolism in *Escherichia coli* cells deficient in tRNA nucleotidyltransferase, 1081

Dichroism, transient and linear, studies on bacteriorhodopsin: determination of the orientation of the 568 nm all-*trans* retinal chromophore, 607
Diphenylhexatriene, effect of cholesterol on its rotational mobility in liposomes; a nanosecond fluorescence anisotropy study, 1109
Double-helical structure for hyaluronic acid in the presence of potassium at low pH and also with the cations ammonium, rubidium and caesium, 113
Downie, J. A., Stewart, J. W. & Sherman, F., Yeast mutants defective in iso-2-cytochrome *c*, 369
Drosophila melanogaster heat-shock messages, translation *in vitro*, 279
— —, structure and processing of precursor 5 S RNA, 785
Duffy, J. J. (see also Geiduschek, E. P.), 825
dUTPase defect and the excision repair of uracil incorporated in DNA, 293

Egg-yolk lecithin, X-ray study: unit cell data and electron density profile, 285
Elongation factor, EF-Tu, partially trypsin-degraded, from *Escherichia coli*, low resolution structure, 999
Endo R *Dpn*I restriction of *Escherichia coli* DNA synthesized *in vitro*. Evidence that the ends of Okazaki pieces are determined by template deoxynucleotide sequence, 621
Endonuclease mapping of the *Escherichia coli* K12 chromosome in the vicinity of the *ilv* genes, 175
Escherichia coli DNA synthesized *in vitro* and its Endo R *Dpn*I restriction. Evidence that the ends of Okazaki pieces are determined by template deoxynucleotide sequence, 621
— — elongation factor, EF-Tu, partially trypsin-degraded, low resolution structure, 999
— — K12 chromosome, restriction endonuclease mapping in the vicinity of the *ilv* genes, 175
— — (λ), initiation of *rec*A$^+$-dependent recombination: specificity in the induction of recombination and strand cutting in undamaged covalent circular bacteriophage 186 and lambda DNA molecules in phage-infected cells, 159
— — —, — — — - — —: — — — lambda DNA molecules in *uvr*A$^+$ *rec*A$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages, 137
— —, mutagenic specificity in the *lacI* gene; genetic studies of the *lac* repressor, 577
— —, regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA; biochemical characterization of regulatory mutants affecting leucyl-tRNA synthetase levels, 1049
— —, — — — — — - — — — — —; isolation and characterization of a mutant with elevated levels of $tRNA_1^{Gln}$, 1013
— —, — — — — - — — — — —; — of regulatory mutants affecting leucyl-tRNA synthetase levels, 1033
— —, termination of the DNA replication cycle, 85
— —, the attenuator of the tryptophan operon; heterogeneous 3′-OH termini *in vivo* and deletion mapping of functions, 227
— — tRNA genes, gross map location, 419
— —, transfer RNA metabolism in cells deficient in tRNA nucleotidyltransferase, 1081
Evans, J. A. (see also Deutscher, M. P.), 1081
Excision repair of uracil incorporated in DNA as a result of defect in dUTPase, 293

Fishpool, R. M. (see also Waterston, R. H.) 679
Flavodoxin from *Clostridium MP*, structure of the semiquinone form: extension of 1·8 Å resolution and some comparisons with the oxidized state, 195
Fluorescence anisotropy, nanosecond, study of the effects of cholesterol on the rotational mobility of diphenylhexatriene in liposomes, 1109
— quenching, protein, correction procedures for measurements, 715
Foulds, J. (see also Deutscher, M. P.), 1095
Fowler, A. G. (see also Burge, R. E.), 927
Fraser, J. M. K. & Huberman, J. A., *In vitro* HeLa cell DNA synthesis similarity to *in vivo* replication, 249
Freundlich, M. (see also Childs, G. J.), 175
Fried, M. (see also Lund, E.), 473, 497

G4 DNA replication: origin of synthesis of the viral and complementary DNA strands, 321
— — —: synthesis of replicative form, 353
— — —: — — viral progeny single-stranded DNA, 337
Ganem, D. (see also Schmeissner, U.), 572

Gardner, K. H. (see also Sheehan, J. K.), 113
Gast, W. H. (see also Kabsch, W.), 999
Geiduschek, E. P., Armelin, M. C. S., Petrusek, R., Beard, C., Duffy, J. J. & Johnson, G. G., Effects of the transcription inhibitory protein, TF1, on phage SP01 promoter complex formation and stability, 825
Gene *A* protein, and the cohesive end site, their roles in the packaging of coliphage lambda DNA, 717
— *D* protein, role in the packaging of coliphage lambda DNA, 733
Genes, *Escherichia coli* tRNA, gross map location, 419
Gene-protein map, revised, for the *lacI* gene *lac* repressor system, 572
Genetic studies of the *lac* repressor: additional correlation of mutational sites with specific amino acid residues, 525
— — — — — —: mutagenic specificity in the *lacI* gene of *Escherichia coli*, 577
Glyceraldehyde-3-phosphate dehydrogenase, the role of the nicotinamide and adenine subsites in the negative co-operativity of coenzyme binding, 699
Godson, G. N., G4 DNA replication. III. Synthesis of replicative form, 353
—, — — —. II. — — viral progeny single-stranded DNA, 337
— (see also Martin, D. M.), 321
Gomez-Eichelmann, M. C. & Lark, K. G., Endo R *Dpn*I restriction of *Escherichia coli* DNA synthesized *in vitro*. Evidence that the ends of Okazaki pieces are determined by template deoxynucleotide sequence, 621
Griffin, B. E., Fine structure of polyoma virus DNA, 447
— (see also Lund, E.), 473, 497

Hanawalt, P. (see also Loehr, J.), 85
Haseltine, W. A. (see also Coffin, J. M.), 805
Heat-shock messages, *Drosophila*, translation *in vitro*, 279
HeLa cell DNA synthesis *in vitro*, similarity to *in vivo* replication, 249
Hemocyanin, scorpion (*Androctonus australis garzonii*), ultrastructure of 16 S substances obtained by reassociation using different combinations of three isolated subunits, 869
Henis, Y. I. & Levitzki, A., The role of the nicotinamide and adenine subsites in the negative co-operativity of coenzyme binding to glyceraldehyde-3-phosphate dehydrogenase, 699
Hershey, J. W. B. (see also Langberg, S.), 307
Heyn, M. P., Cherry, R. J. & Müller, U., Transient and linear dichroism studies on bacteriorhodopsin: determination of the orientation of the 568 nm all-*trans* retinal chromophore, 607
Howard-Flanders, P. (see also Ross, P.), 137, 159
Huberman, J. A. (see also Fraser, J. M. K.), 249
Hyaluronic acid: a double-helical structure in the presence of potassium at low pH and found also with the cations ammonium, rubidium and caesium, 113
— —: the role of divalent cations in conformation and packing, 761

i^{-d} repressor mutations of the lactose operon, characterization, 843
IF1 (see also initiation factor), 307
Ikemura, T. & Ozeki, H., Gross map location of *Escherichia coli* transfer RNA genes, 419
ilv genes, restriction endonuclease mapping of the *Escherichia coli* K12 chromosome in their vicinity, 175
Initiation factor IF1, protein synthesis, binding to 30 S ribosomal subunits: effects of other initiation factors and identification of proteins near the binding site, 307
— of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ): specificity in the induction of recombination and strand cutting in undamaged covalent circular bacteriophage 186 and lambda DNA molecules in phage-infected cells, 159
— — — — — — — —: undamaged covalent circular lambda DNA molecules in *uvr*A$^+$ *rec*A$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages, 137
Iso-2-cytochrome *c* of yeast mutants, 369
Iwayanagi, S. (see also Sakurai, I.), 285

Jacq, B., Jourdan, R. & Jordan, B. R., Structure and processing of precursor 5 S RNA in *Drosophila melanogaster*, 785
Johnson, G. G. (see also Geiduschek, E. P.), 825
Johnson, K. A. & Borisy, G. G., Kinetic analysis of microtubule self-assembly *in vitro*, 1
— (see also Murphy, D. B.), 33

RDAN, B. R. (see also JACQ, B.), 785
URDAN, R. (see also JACQ, B.), 785

12 chromosome of *Escherichia coli*, restriction endonuclease mapping in the vicinity of the *ilv* genes, 175
ABSCH, W., GAST, W. H., SCHULZ, G. E. & LEBERMAN, R., Low resolution structure of partially trypsin-degraded polypeptide elongation factor, EF-Tu, from *Escherichia coli*, 999
AGAWA, Y. (see also WAKABAYASHI, T.), 515
AHAN, L. (see also LANGBERG, S.), 307
inetic analysis of microtubule self-assembly *in vitro*, 1
OPECKO, D. J. (see also NISEN, P. D.), 975
ORN, L. J. (see also BERTRAND, K.), 227
RNER, A. (see also MORGAN, S.), 1013
BOTA, I. (see also VAN EERD, J. P.), 521
(see also WAKABAYASHI, T.), 515

see also Bacteriophage), 137, 159; (see also Coliphage), 717, 733
beled polynucleotide molecular microscopy: stability of osmium atoms, 387
repressor genetic studies: additional correlation of mutational sites with specific amino acid residues, 525
— — —: mutagenic specificity in the *lacI* gene of *Escherichia coli*, 577
I gene, sequence change in DNA arising from an amber mutation, 568
— -*lac* repressor system, revised gene–protein map, 572
ctose operon, characterization of i^{-d} repressor mutations, 843
AMY, J., LAMY, J., SIZARET, P. Y., MAILLET, M. & WEILL, J., Ultrastructure of 16 S substances obtained by reassociation using different combinations of three isolated subunits of scorpion hemocyanin (*Androctonus australis garzonii*), 869
(see also LAMY, J.), 869
ANGBERG, S., KAHAN, L., TRAUT, R. R. & HERSHEY, J. W. B., Binding of protein synthesis initiation factor IF1 to 30 S ribosomal subunits: effects of other initiation factors and identification of proteins near the binding site, 307
ARK, K. G. (see also GOMEZ-EICHELMANN, M. C.), 621
AROSSA, R. A., MAO, J.-I., LOW, K. B. & SÖLL, D., Regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*. III. Biochemical characterization of regulatory mutants affecting leucyl-tRNA synthetase levels, 1049
, VÖGELI, G., LOW, K. B. & SÖLL, D., Regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*. II. Isolation of regulatory mutants affecting leucyl-tRNA synthetase levels, 1033
EBERMAN, R. (see also KABSCH, W.), 999
ecithin of egg-yolk, X-ray study: unit cell data and electron density profile, 285
EE, F. (see also BERTRAND, K.), 227
EHMAN, I. R. (see also TYE, B-K.), 293
eucyl-tRNA synthetase regulatory mutants: regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*, 1033, 1049
EVITZKI, A. (see also HENIS, Y. I.), 699
LLIS, M., Sequence change in the DNA from the *lacI* gene arising from an amber mutation (*Appendix* to COULONDRE, C. & MILLER, J. H., 525), 568
IN, J. J.-C. (see also DEUTSCHER, M. P.), 1081
iposomes, effect of cholesterol on the rotational mobility of diphenylhexatriene; a nanosecond fluorescence anisotropy study, 1109
OEHR, J. & HANAWALT, P., On the termination of the DNA replication cycle in *Escherichia coli*, 85
OW, K. B. (see also LAROSSA, R.), 1033, 1049
(see also MORGAN, S.), 1013
UDWIG, M. L. (see also SMITH, W. W.), 195
UND, E., FRIED, M. & GRIFFIN, B. E., Polyoma virus defective DNAs. I. Physical maps of a related set of defective molecules (D76, D91, D92), 473
–, GRIFFIN, B. E. & FRIED, M., Polyoma virus defective DNAs. II. Physical map of a molecule with rearranged and reiterated sequences (D74), 497
UTTER, L. C., Deoxyribonuclease I produces staggered cuts in the DNA of chromatin, 53

McClain, W. H. (see also Mazzara, G. P.), 1061
McKenzie, S. L. & Meselson, M., Translation *in vitro* of *Drosophila* heat-shock messages, 279
Maillet, M. (see also Lamy, J.), 869
Maio, J. J., Brown, F. L. & Musich, P. R., Subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA: recurrent periodicities and models for the evolutionary origins of repetitive DNA, 637
— (see also Musich, P. R.), 657
— (see also Larossa, R. A.), 1049
Map location, gross, of *Escherichia coli* tRNA genes, 419
—, physical, of a molecule with rearranged and reiterated sequences (D74), 497
Mapping, restriction endonuclease, of the *Escherichia coli* K12 chromosome in the vicinity of the *ilv* genes, 175
Maps, physical, of a set of defective molecules (D76, D91, D92); polyoma virus defective DNAs, 473
Martin, D. M. & Godson, G. N., G4 DNA replication. I. Origin of synthesis of the viral and complementary DNA strands, 321
Matsubara, I. (see also Yagi, N.), 797
Mazzara, G. P. & McClain, W. H., Cysteine transfer RNA of *Escherichia coli*: nucleotide sequence and unusual metabolic properties of the 3′ C-C-A terminus, 1061
Meselson, M. (see also McKenzie, S. L.), 279
Messenger RNA binding site of the 30 S ribosome, identification of several involved proteins by inactivation with 2-methoxy-5-nitrotropone, 401
2-Methoxy-5-nitrotropone inactivation of mRNA binding: identification of several proteins involved in the mRNA binding site of the 30 S ribosome, 401
Microscopy, molecular, of labeled polynucleotides: stability of osmium atoms, 387
Microtubule nucleation and elongation, role of tubulin-associated proteins, 33
— self-assembly *in vitro*, kinetic analysis, 1
Miller, J. H. (see also Coulondre, C.), 525, 577
— (see also Schmeissner, U.), 572
Mitochondrial DNA from *Paramecium aurelia*, evidence for semi-conservative replication, 273
Miwa, J. & Sadler, J. R., Characterization of i^{-d} repressor mutations of the lactose operon, 843
Monkey, green, African and calf nuclei, indications of a phase relation between restriction sites and chromatin subunits; subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA, 657
Morgan, S., Körner, A., Low, K. B. & Söll, D., Regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*. I. Isolation and characterization of a mutant with elevated levels of $tRNA_1^{Gln}$, 1013
Müller, U. (see also Heyn, M. P.), 607
Murphy, D. B., Johnson, K. A. & Borisy, G. G., Role of tubulin-associated proteins in microtubule nucleation and elongation, 33
Muscles, striated, crustacean, equatorial X-ray diffraction patterns, 797
Musich, P. R., Maio, J. J. & Brown, F. L., Subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA: indications of a phase relation between restriction sites and chromatin subunits in African green monkey and calf nuclei, 657
— (see also Maio, J. J.), 637
Musick, W. D. L., Preliminary crystallographic studies on quinolinate phosphoribosyltransferase, 1101
Mutagenesis, induced, molecular mechanisms: replication *in vivo* of bacteriophage ϕX174 single-stranded, ultraviolet light-irradiated DNA in intact and irradiated host cells, 95
Mutagenic specificity in the *lacI* gene of *Escherichia coli*; genetic studies of the *lac* repressor, 577
Mutant with elevated levels of $tRNA_1^{Gln}$, isolation and characterization; regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*, 1013
Mutants affecting paramyosin in *Caenorhabditis elegans*, 679
—, *cca*, *rel*A overcomes their slow growth, 1095
—, DNA initiation, temperature-sensitive, of *Bacillus subtilis* 168, completion of the replication and division cycle at the non-permissive temperature, 71
—, regulatory, affecting leucyl-tRNA synthetase levels, biochemical characterization; regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*, 1049
—, —, — — - — — —, isolation; regulation of biosynthesis of aminoacyl-tRNA synthetases and of tRNA in *Escherichia coli*, 1033
—, yeast, defective in iso-2-cytochrome *c*, 369
Mutation, amber, and the sequence change in the DNA from the *lacI* gene, 568
Mutations, i^{-d} repressor, of the lactose operon, characterization, 843
Mutational sites, additional correlation with specific amino acid residues; genetic studies of the *lac* repressor, 525

movariant RNAs: nucleotide sequence and interaction with bacteriophage Qβ replicase, 877
cotinamide and adenine subsites, role in the negative co-operativity of coenzyme binding to glyceraldehyde-3-phosphate dehydrogenase, 699
SEN, P. D., KOPECKO, D. J., CHOU, J. & COHEN, S. N., Site-specific DNA deletions occurring adjacent to the termini of a transposable ampicillin resistance element (Tn3), 975
cleoprotamine structure, X-ray diffraction studies, 909
cleotide sequence and unusual metabolic properties of the 3′ C-C-A terminus of cysteine tRNA of *Escherichia coli*, 1061
— of Rous sarcoma virus RNA at the initiation site of DNA synthesis; the 102nd nucleotide is U, 805

OH termini, heterogeneous, *in vivo* and deletion mapping of functions; the attenuator of the tryptophan operon of *Escherichia coli*, 227
ITSUBO, E. (see also CHILDS, G. J.), 175
ITSUBO, H. (see also CHILDS, G. J.), 175
azaki pieces, evidence that their ends are determined by template deoxynucleotide sequence; endo R *Dpn*I restriction of *Escherichia coli* DNA synthesized *in vitro*, 621
ientation of the 568 nm all-*trans* retinal chromophore; transient and linear dichroism studies on bacteriorhodopsin, 607
mium atom stability; molecular microscopy of labeled polynucleotides, 387
EKI, H. (see also IKEMURA, T.), 419

X174 (see also Bacteriophage), 95, 111
ekaging of coliphage lambda DNA: the role of the cohesive end site and the gene *A* protein, 717
— — — —: — — — — gene *D* protein, 733
cking and conformation and the role of divalent cations; hyaluronic acid, 761
tramecium aurelia, evidence for semi-conservative replication of mitochondrial DNA, 273
ramyosin mutants in *Caenorhabditis elegans*, 679
ptide VII, internal, of T-even bacteriophages, primary structure, 521
ptidoglycan of bacterial cell walls, structure, 927, 955
STRUSEK, R. (see also GEIDUSCHEK, E. P.), 825
olynucleotide, labeled, molecular microscopy: stability of osmium atoms, 387
olyoma virus defective DNAs: physical map of a molecule with rearranged and reiterated sequences (D74), 497
— — —: — maps of a related set of defective molecules (D76, D91, D92), 473
— DNA fine structure, 447
otassium, ammonium, rubidium and caesium cations, hyaluronic acid crystallized in their presence shows double-helical structure, 113
recursor 5 S RNA in *Drosophila melanogaster*, structure and processing, 785
rotein fluorescence quenching measurements, correction procedure, 715
- synthesis initiation factor IF1, binding to 30 S ribosomal subunits: effects of other initiation factors and identification of proteins near the binding site, 307
–, transcription inhibitory, TF1, effects on phage SP01 promoter complex formation and stability, 825
roteins involved in the mRNA binding site of the 30 S ribosome, identification by inactivation with 2-methoxy-5-nitrotropone, 401
, tubulin-associated, their role in microtubule nucleation and elongation, 33
soralen-damaged lambda phages, superinfecting, and the cutting of undamaged covalent circular lambda DNA molecules in *uvr*A$^+$ *rec*A$^+$ lysogenic host cells; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 137
yrimidine dimers, ultraviolet light-induced, yield in the DNA of bacteriophage φX174, 111

Qβ (see also Bacteriophage), 877
Quinolate phosphoribosyltransferase, preliminary crystallographic studies, 1101

RADMAN, M. (see also CAILLET-FAUQUET, P.), 95
Reassociation of three isolated subunits of scorpion hemocyanin (*Androctonus australis garzonii*), ultrastructure of 16 S substances obtained using different subunit combinations, 869

Reaveley, D. A. (see also Burge, R. E.), 927, 955
recA$^+$-dependent recombination, initiation in *Escherichia coli* (λ): specificity in the induction of recombination and strand cutting in undamaged covalent circular bacteriophage 186 and lambda DNA molecules in phage-infected cells, 159
— —, — — —: undamaged covalent circular lambda DNA molecules in *uvrA*$^+$ *recA*$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages, 137
Recombination, *recA*$^+$-dependent, initiation in *Escherichia coli* (λ): specificity in the induction of recombination and strand cutting in undamaged covalent circular bacteriophage 186 and lambda DNA molecules in phage-infected cells, 159
— —, — — —, — — — — —: undamaged covalent circular lambda DNA molecules in *uvrA*$^+$ *recA*$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages, 137
*rel*A overcomes the slow growth of *cca* mutants, 1095
Replication and division cycle completion in temperature-sensitive DNA initiation mutants of *Bacillus subtilis* 168 at the non-permissive temperature, 71
— cycle of DNA, termination in *Escherichia coli*, 85
— *in vivo* of bacteriophage φX174 single-stranded, ultraviolet light-irradiated DNA in intact and irradiated host cells; molecular mechanisms of induced mutagenesis, 95
— of DNA *in vivo*, similarity to *in vitro* HeLa cell DNA synthesis, 249
— — G4 DNA: origin of synthesis of the viral and complementary DNA strands, 321
— — — —: synthesis of replicative form, 353
— — —: — — viral progeny single-stranded DNA, 337
—, semi-conservative, of mitochondrial DNA from *Paramecium aurelia*, 273
Repressor mutations, i^{-d}, of the lactose operon, characterization, 843
Restriction endonuclease mapping of the *Escherichia coli* K12 chromosome in the vicinity of the *ilv* genes, 175
— sites and chromatin subunits in African green monkey and calf nuclei, indications of a phase relation between them; subunit structure of chromatin and the organization of eukaryotic highly repetitive DNA, 657
Retinal chromophore, all-*trans*, 568 nm, orientation determination; transient and linear dichroism studies on bacteriorhodopsin, 607
RNA, messenger, binding site of the 30 S ribosome, identification of several involved proteins by inactivation with 2-methoxy-5-nitropropone, 401
—, 5 S precursor, structure and processing in *Drosophila melanogaster*, 785
— of Rous sarcoma virus, nucleotide sequence at the initiation site of DNA synthesis; the 102nd nucleotide is U, 805
—, transfer, and aminoacyl-tRNA synthetases in *Escherichia coli*, regulation of their biosynthesis; biochemical characterization of regulatory mutants affecting leucyl-tRNA synthetase levels, 1049
—, —, — — — — — — — —, — — — —; isolation and characterization of a mutant with elevated levels of $tRNA_f^{Gln}$, 1013
—, —, — — — — — — — —, — — — —; — of regulatory mutants affecting leucyl-tRNA synthetase levels, 1033
—, —, cysteine, of *Escherichia coli*: nucleotide sequence and unusual metabolic properties of the 3′ C-C-A terminus, 1061
—, —, gross map location of *Escherichia coli* genes, 419
—, —, metabolism in *Escherichia coli* cells deficient in tRNA nucleotidyltransferase, 1081
RNAs, nanovariant: nucleotide sequence and interaction with bacteriophage Qβ replicase, 877
Ribosome, 30 S, identification of several proteins involved in the mRNA binding site by inactivation with 2-methoxy-5-nitropropone, 401
Rhodopseudomonas capsulata and *Rhodospirillum molischianum*, preliminary crystallographic data for cytochromes *c*, 815
Rhodospirillum molischianum and *Rhodopseudomonas capsulata*, preliminary crystallographic data for cytochromes *c*, 815
Ross, P. & Howard-Flanders, P., Initiation of *recA*$^+$-dependent recombination in *Escherichia coli* (λ). II. Specificity in the induction of recombination and strand cutting in undamaged covalent circular bacteriophage 186 and lambda DNA molecules in phage-infected cells, 159
— & —, — — — — — — — — —. I. Undamaged covalent circular lambda DNA molecules in *uvrA*$^+$ *recA*$^+$ lysogenic host cells are cut following superinfection with psoralen-damaged lambda phages, 137
Rotational mobility of diphenylhexatriene in liposomes, effect of cholesterol; a nanosecond fluorescence anisotropy study, 1109

Rous sarcoma virus RNA, nucleotide sequence at the initiation site of DNA synthesis; the 102nd nucleotide is U, 805
Rubidium, potassium, ammonium and caesium cations, hyaluronic acid crystallized in their presence shows double-helical structure, 113
Rüegg, K. J. (see also Schaffner, W.), 877

Sadler, J. R. (see also Miwa, J.), 843
Sakurai, I., Iwayanagi, S., Sakurai, T. & Seto, T., X-ray study on egg-yolk lecithin: unit cell data and electron density profile, 285
Sakurai, T. (see also Sakurai, I.), 285
Salemme, F. R. (see also Weber, P.), 815
Schaffner, W., Rüegg, K. J. & Weissmann, C., Nanovariant RNAs: nucleotide sequence and interaction with bacteriophage Qβ replicase, 877
Schmeissner, U., Ganem, D. & Miller, J. H., Revised gene–protein map for the *lacI* gene–*lac* repressor system (*Appendix* to Coulondre, C. & Miller, J. H., 525), 572
Schulz, G. E. (see also Kabsch, W.), 999
Scorpion hemocyanin (*Androctonus australis garzonii*), ultrastructure of 16 S substances obtained by reassociation using different combinations of three isolated subunits, 869
Sequence change in the DNA from the *lacI* gene arising from an amber mutation, 568
—, nucleotide, of nanovariant RNAs; interaction of nanovariant RNAs with bacteriophage Qβ replicase, 877
—, —, — Rous sarcoma virus RNA at the initiation site of DNA synthesis; the 102nd nucleotide is U, 805
—, —, and unusual metabolic properties of the 3′ C-C-A terminus of cysteine tRNA of *Escherichia coli*, 1061
Setlow, P. (see also Deutscher, M. P.), 1095
Seto, T. (see also Sakurai, I.), 285
Sheehan, J. K., Gardner, K. H. & Atkins, E. D. T., Hyaluronic acid: a double-helical structure in the presence of potassium at low pH and found also with the cations ammonium, rubidium and caesium, 113
Sherman, F. (see also Downie, J. A.), 369
Sizaret, P. Y. (see also Lamy, J.), 869
Smith, W. W., Burnett, R. M., Darling, G. D. & Ludwig, M. L., Structure of the semiquinone form of flavodoxin from *Clostridium MP*. Extension to 1·8 Å resolution and some comparisons with the oxidized state, 195
Söll, D. (see also Larossa, R.), 1033, 1049
— (see also Morgan, S.), 1013
Sonnenberg, F. (see also Childs, G. J.), 175
Specificity, mutagenic, in the *lacI* gene of *Escherichia coli*; genetic studies of the *lac* repressor, 577
SP01 (see also Bacteriophage), 825
Sternberg, N. & Weisberg, R., Packaging of coliphage lambda DNA. I. The role of the cohesive end site and the gene *A* protein, 717
— & —, — — — — —. II — — — —, gene *D* protein, 733
Stewart, J. W. (see also Downie, J. A.), 369
Structure and processing of precursor 5 S RNA in *Drosophila melanogaster*, 785
—, β, inter-strand correlations, 821
—, fine, of polyoma virus DNA, 447
—, low resolution, of partially trypsin-degraded polypeptide elongation factor, EF-Tu, from *Escherichia coli*, 999
— of ATPase (coupling factor TF_1) from a thermophilic bacterium, 515
— — hyaluronic acid found to be double-helical in the presence of potassium at low pH and also with the cations ammonium, rubidium and caesium, 113
— — nucleoprotamine, X-ray diffraction studies, 909
— — the peptidoglycan of bacterial cell walls, 927, 955
— — — semiquinone form of flavodoxin from *Clostridium MP*: extension of 1·8 Å resolution and some comparisons with the oxidized state, 195
—, primary, of internal peptide VII of T-even bacteriophages, 521
— subunit, of chromatin and the organization of eukaryotic highly repetitive DNA: indications of a phase relation between restriction sites and chromatin subunits in African green monkey and calf nuclei, 657
—, —, — — — — — — — — — —: recurrent periodicities and models for the evolutionary origins of repetitive DNA, 637
Stryer, L. (see also Veatch, W. R.), 1109

Suau, P. & Subirana, J. A., X-ray diffraction studies of nucleoprotamine structure, 909
Subirana, J. A. (see also Suau, P.), 909
Synthesis *in vitro* of HeLa cell DNA, similarity to *in vivo* replication, 249
— of replicative form; G4 DNA replication, 353
— — viral progeny single-stranded DNA; G4 DNA replication, 337
— origin of the viral and complementary DNA strands; G4 DNA replication, 321

Temperature-sensitive DNA initiation mutants of *Bacillus subtilis* 168, completion of the replication and division cycle at the non-permissive temperature, 71
Termination of the DNA replication cycle in *Escherichia coli*, 85
Terminus, 3′ C-C-A, of cysteine tRNA of *Escherichia coli*, nucleotide sequence and unusual metabolic properties, 1061
T-even bacteriophages, primary structure of internal peptide VII, 521
TF_1: structure of ATPase (coupling factor TF_1) from a thermophilic bacterium, 515
—, transcription inhibitory protein, effects on phage SP01 promoter complex formation and stability, 825
Tn3 (see also Ampicillin resistance), 975
Transcription inhibitory protein, TF1, effects on phage SP01 promoter complex formation and stability, 825
Transfer RNA and aminoacyl-tRNA synthetases in *Escherichia coli*, regulation of their biosynthesis; biochemical characterization of regulatory mutants affecting leucyl-tRNA synthetase levels, 1049
— — — — - — — — — —, — — — —; isolation and characterization of a mutant with elevated levels of $tRNA_1^{Gln}$, 1013
— — — — - — — — — —, — — — —; — of regulatory mutants affecting leucyl-tRNA synthetase levels, 1033
— —, cysteine, of *Escherichia coli*: nucleotide sequence and unusual metabolic properties of the 3′ C-C-A terminus, 1061
— — genes of *Escherichia coli*, gross map location, 419
— — metabolism in *Escherichia coli* cells deficient in tRNA nucleotidyltransferase, 1081
Translation *in vitro* of *Drosophila melanogaster* heat-shock messages, 279
Traut, R. R. (see also Langberg, S.), 307
Trypsin-degraded polypeptide elongation factor, EF-Tu, from *Escherichia coli*, low resolution structure, 999
Tryptophan operon attenuator of *Escherichia coli*; heterogeneous 3′-OH termini *in vivo* and deletion mapping of functions, 227
Tsugita, A. (see also van Eerd, J. P.), 521
Tubulin-associated proteins, their role in microtubule nucleation and elongation, 33
Tye, B-K. & Lehman, I. R., Excision repair of uracil incorporated in DNA as a result of a defect in dUTPase, 293

Ultrastructure of 16 S substances obtained by reassociation using different combinations of three isolated subunits of scorpion hemocyanin (*Androctonus australis garzonii*), 869
Ultraviolet light-induced pyrimidine dimer yield in the DNA of bacteriophage ϕX174, 111
— — -irradiated, single-stranded DNA, of bacteriophage ϕX174, replication *in vivo* in intact and irradiated host cells; molecular mechanisms of induced mutagenesis, 95
Uracil incorporated in DNA as a result of a defect in dUTPase, excision repair, 293
*uvr*A$^+$ *rec*A$^+$ lysogenic host cells, undamaged covalent circular lambda DNA molecules are cut following superinfection with psoralen-damaged lambda phages; initiation of *rec*A$^+$-dependent recombination in *Escherichia coli* (λ), 137

van Eerd, J. P., Champe, S. P., Yager, L., Kubota, I. & Tsugita, A., Primary structure of internal peptide VII of T-even bacteriophages, 521
Veatch, W. R. & Stryer, L., Effect of cholesterol on the rotational mobility of diphenylhexatriene in liposomes: a nanosecond fluorescence anisotropy study, 1109
Viral and complementary DNA strands, origin of synthesis; G4 DNA replication, 321
— progeny single-stranded DNA synthesis; G4 DNA replication, 337
Virus, polyoma, defective DNAs: physical map of a molecule with rearranged and reiterated sequences (D74), 497
—, —, — —: — maps of a related set of defective molecules (D76, D91, D92), 473
—, —, fine structure of DNA, 447

—, Rous sarcoma, nucleotide sequence of RNA at the initiation site of DNA synthesis; the 102nd nucleotide is U, 805
Vögeli, G. (see also Larossa, R.), 1033
von Heijne, G. & Blomberg, C., The β structure: inter-strand correlations, 821

Wakabayashi, T., Kubota, M., Yoshida, M. & Kagawa, Y., Structure of ATPase (coupling factor TF_1) from a thermophilic bacterium, 515
Wake, R. G. (see also Callister, H.), 71
Waterston, R. H., Fishpool, R. M. & Brenner, S., Mutants affecting paramyosin in *Caenorhabditis elegans*, 679
Weber, P. & Salemme, F. R., Preliminary crystallographic data for cytochromes *c* of *Rhodopseudomonas capsulata* and *Rhodospirillum molischianum*, 815
Weill, J. (see also Lamy, J.), 869
Weisberg, R. (see also Sternberg, N.), 717, 733
Weissmann, C. (see also Schaffner, W.), 877
Wiggins, J. W. (see also Cole, M. D.), 387
Winter, W. T. & Arnott, S., Hyaluronic acid: the role of divalent cations in conformation and packing, 761

X-ray diffraction patterns, equatorial, of crustacean striated muscles, 797
— — studies of nucleoprotamine structure, 909
— study on egg-yolk lecithin: unit cell data and electron density profile, 285

Yager, L. (see also van Eerd, J. P.), 521
Yagi, N. & Matsubara, I., The equatorial X-ray diffraction patterns of crustacean striated muscles, 797
Yanofsky, C. (see also Bertrand, K.), 227
Yeast mutants defective in iso-2-cytochrome *c*, 369
Yoshida, M. (see also Wakabayashi, T.), 515